








# SMARTBRIGHTLEDS® LED Grow Lights

Model	Picture show	Specification	Package
NOMI <b>Hot Hot</b>		Real power: 100W Color: Black Qty:72PCS/SMD3030 Lux: 6573 PPF=2.27μmol/s/W Plug: customized Input Voltage:220V CCT:Red:blue:full spectrum Working temperature:-25°C ~ 45°C Lifespin:50000hours warranty:2years	100W Grow lights
IP65 Groups-1 <b>Hot Hot</b>		Real power: 100W/200W/400W/600W/800W Qty:72PCS/50W/SMD3030 PPF=2.14μmol/s/W Plug: customized <b>Voltage:AC85-265V with MW power or not</b> CCT:Red:blue:full spectrum Working temperature:-25°C ~ 45°C Lifespin:50000hours warranty:2years	72pcs/3030SMD/50W  MW driver  Can be combined
GA-01 <b>Selling hot</b>		Working voltage: AC100-277V Light source model: Samsung+Epistar 5630 360pcs leds(white+red) Actual power: 150±10%W PPFD:1327umol/m2s PPF:2.14μmol/s/W Coverage:0.5m2/30cm Single weight: 2.4kg Product size: 195*300*10mm	"1 LED Grow Panel Light 1x Power plug  Outer box size: 490*380*430mm/8PCS 20.5kg
GA-02 <b>Selling hot</b>		Working voltage: AC100-277V Light source model: Samsung+Epistar 5630 720pcs leds(white+red) Actual power: 240±10%W PPFD:1425umol/m2s PPF:2.26μmol/s/W Coverage:0.9m2/30cm Single weight: 4.2kg Product size: 655*235*100mm	"1 LED Grow Panel Light 1x Power plug  Outer box size: 675*255*425mm/4PCS 17kg
AVX100		Working voltage: AC100-277V Light source model: 544pcs 2835smd (64pcs 660nm+476white) Actual power: 100±10%W	



# LED Grow Lights







<p>GL-08</p> <p>Hot Sale</p>		<p>Normal power: 180W Actual power: 90W (60pcs) High Intensity 3 Watt Bridgelux/Epileds LED Chips Type: 100pcs*10±3%W Real Power: 105±3%W Lifespan: &gt;50,000 hours Replace 200W HPS/MH Input Voltage: AC85-265V Working Frequency:50-60Hz LED Optical Lens Angel: 90° Warranty period:2 years Packing list:LED lights + wire hanging line + power plug line</p>	<p>"1 LED Grow Panel Light 1x Power plug 1 x User manual "</p> <p>Product size:310*212*60mm</p> <p>CTN size: 47*42*28cm G.W:12kg</p>
<p>GL-09</p>		<p>Normal power: 300W Actual power:150W Dimensions: 12.6x7.9x3 inches - Item Weight: 5.6 lbs - Replaces a 300 watt HPS/MH - Use for all stages of plant growth - Max Coverage at 24" Height 3x3ft - Core Coverage at 24" Height 2x2ft - Avg. Power Draw: 136watt - (100pcs) High Intensity 5Watt Bridgelux/Epileds LED Chips - LEDs Angle: 90° Input Voltage: AC100-240V</p>	<p>"1 LED Grow Panel Light 1x Power plug 1 x User manual "</p> <p>Product size:310*212*60mm</p> <p>CTN size: 47*42*28cm G.W:16kg</p>
<p>GL-10</p>		<p>Normal power: 450W Actual power:225W High power led:150pcs*3W Color:red:blue:IR:UV GW:4kg Product size:400*212*60mm</p>	<p>"1 LED Grow Panel Light 1x Power plug 1 x User manual "</p>
<p>GL-26</p> 		<p>Normal power:165w led aquarium light Actual power:120W High power led:55pcs*3W Color:Full spectrum GW:4kg Product size:400*212*60mm Product package size: 45*27*11cm CTN: 48*47*29cm/16KG/4PCS Light could be adjustable For grow aquarium</p>	<p>"1 LED Grow Panel Light 1x Power plug</p>
<p>AV-4531</p>		<p>【Max Power】 45watt 【Avg. Power Draw】 35watt 【Dimensions】 13.0x13.0x0.4 inches 【Item Weight】 2.5 lb 【Input Voltage】 AC110V 【LED Qty】 225pcs 0.2Watt Bridgelux/Epileds 【LED reflector】 60°degree 【HID Replacement】 Replaces 100W HPS/MH while consuming only 35W 【Core Coverage Area】 1x1ft at 24" Height 【Max Coverage Area】 2x2ft at 24"</p>	<p>1 x 45W Plant Light 1 x Hanging Kit 1 x 5ft Power Adapter</p>
<p>AV-5033</p> <p>Hot Sale</p>		<p>LED Power: 50W Color: Red, Blue, White, UV, IR Lifespan: 50,000 hours Dimensions: 13.1x13.1x1.2 inches Weight: 2.1 lbs Power supply:AC85-264V Current: 300mA Frequency: 50-60HZ LED reflector: 60°degree Condition: -20℃ - 55℃, 55- 95%RH</p>	<p>1 x 50W LED Grow Panel Light 1 x Hanging Kits 1x Power plug 1 x User manual</p>



**SMARTBRIGHTLEDS® LED Grow Lights**

<p>AV1890</p>		<p>power :13W (90cm T8)  <b>72 SMD/2835.</b>                  Color: Red, Blue,full spectrum                  Lifespan: 50,000 hours                  Dimensions: 900*25MM                  Power supply: AC85V-240V                  Suitable :plant factory</p> <p>945*250*210MM                  25 PCS / Carton                  Gross weight: 8KG/CTN</p>	<p>90cm Spectrum like picture                  spectrum 1 seeding                  (White:red:blue)=2:4:6=1:2:3</p> <p>100x 90cm spectrum 2 leaves and veg                  (White:red)=4:2=2:1</p>
<p>AV18120</p>		<p>power :18W (120CM T8)  <b>96 SMD/2835.</b>                  Color: Red, Blue,ull spectrum                  Lifespan: 50,000 hours                  Dimensions: 1200*25MM                  Power supply: AC85V-240V</p> <p>1245*250*210MM                  25 PCS / Carton                  Gross weight: 10KG/CTN</p>	<p>120cm Spectrum like picture                  spectrum 1 seeding                  (White:red:blue)=2:4:6=1:2:3                  spectrum 3 leaves and veg                  (White:red)=4:2=2:1</p>
<p>AVS9013</p>		<p>power :13W (90CM T8)  <b>96SMD/2835. Single PCB</b>                  Color: Red, Blue,ull spectrum                  Lifespan: 50,000 hours                  Dimensions: 90*25MM                  Power supply: AC85V-240V                  Suitable :plant factory</p> <p>CTN: 945*250*210MM</p>	<p><b>96SMD/2835. Single PCB</b>                  90cm Spectrum like picture</p> <p>(White:red)=2:</p> 
<p>AVS12020</p>		<p>power :20W (120CM T8)  <b>144 SMD/2835. Single PCB</b>                  Color: Red, Blue,ull spectrum                  Lifespan: 50,000 hours                  Dimensions: 1200*25MM                  Power supply: AC85V-240V                  Suitable :plant factory                  CTN:1245*250*210MM                  25 PCS / Carton                  (Bubble cotton)                  Gross weight: 10KG/CTN</p>	<p><b>144 SMD/2835. Single PCB</b>                  120cm Spectrum like picture</p> <p>(White:red)=2:1</p> 
<p>AVD9016</p>		<p>power :16W (90CM T8)  <b>144SMD/2835. Double PCB</b>                  Color: Red, Blue,ull spectrum                  Lifespan: 50,000 hours                  Dimensions: 90*25MM                  Power supply: AC85V-240V                  Suitable :plant factory</p> <p>CTN: 945*250*210MM                  25 PCS / Carton (Bubble cotton)                  Gross weight: 8KG/CTN</p>	<p><b>144SMD/2835. Double PCB</b>                  90cm Spectrum like picture</p> <p>(White:red)=2:</p> 
<p>AVD12021</p>		<p>power :21W (120CM T8)  <b>192 SMD/2835. Double PCB</b>                  Color: Red, Blue,ull spectrum                  Lifespan: 50,000 hours                  Dimensions: 1200*25MM                  Power supply: AC85V-240V                  Suitable :plant factory                  CTN:1245*250*210MM                  25 PCS / Carton                  (Bubble cotton)</p>	<p><b>192 SMD/2835. Double PCB</b>                  120cm Spectrum like picture</p> <p>(White:red)=2:1</p> 
<p>E27-30W</p>		<p>Adaptor Spec:85-265V                  Power:30W                  Qty:40pcs                  Lumens:1200-1500lm                  Color:22R+12B+2IR+2UV+2Warm                  Size:58*75mm                  Storage condition:-40-85degree                  Warranty:3years</p>	<p>1 x 30W LED Grow Light</p>
<p>E27-45W</p>		<p>Adaptor Spec:85-265V                  Power:45W                  Qty:78pcs                  Lumens:2500-3200lm                  Color:42R+18B+6IR+6UV+6Warm                  Size:94*98mm                  Storage condition:-40-85degree                  Warranty:3years</p>	<p>1 x 45W LED Grow Light</p>



<p><b>E27-80W</b></p>		<p>Adaptor Spec:85-265V Normal Power:80W Qty:120pcs Lux: 2600/0.9m <b>PPFD=80 μmol/(m·s)/0.9M</b> Color:78R+24B+6IR+6UV+6Warm Size:120*125mm Storage condition:-40-85degree Warranty:3years Lighting area: 0.5m<sup>2</sup></p>	<p>1 x 80W LED Grow Light</p>
<p><b>Avatar18</b> <b>Best selling</b></p>		<p>Power:20W Input Voltage:DC5V 2A Power factors:&gt; 0.9 Lamp beads: 13pcs red 660nm and 7pcs blue 460nm Materials:aluminum covered with plastic Legth:Flexible tube 39cm/lamp tube 30cm Warranty:2years Applicable :filling light for indoor plants inner packing:33.5*11.5*9CM 0.55KG</p>	<p>2 x Lamp 1 x USB</p>
<p><b>Avatar27</b> <b>Best selling</b></p>		<p>Name: 3 head Tripod Stand Kit Grow Light Best Red/Blue Spectrum LED Combination 3 Timing Modes/Easy for seting working time 8-10 Dimmable Modes available 3 Intelligent timer function Adjustable Design/more growing area can be covered 360-degree flexible gooseneck With tripod stand /Stick</p>	<p>3x Lamp 1 x Stand 1 x Remote controller 1 x Plug</p>
<p><b>AV-Z50</b></p>		<p>Real power: 50W/100W Color: Black Qty:64PCS/SMD3030 Lux: 6573 PPF=2.06μmol/s/W Size:21CM*21CM*2CM Plug: customized IP:IP65 Input Voltage:220V CCT:Red:blue:full spectrum Working temperature:-25°C ~ 45°C Lifespin:50000hours</p>	<p>1 x 50W LED Grow Light  G.W: 1KG  Also have 100W</p>
<p><b>GL720</b></p>		<p><b>Power :800W (Real power 720W with Meanwell driver)</b> Color:Full spectrum Input voltage:90-220V Led chip:2835 chips (312*10= 3120pcs) LED chip: 2835 SMD (480PCS 660nm+2640pcs white color) Size: 1100*1000mm <b>Having Dimmer+Screen</b></p>	<p><b>1M</b> 1 item includes 10pcs light  G.W: 22KG</p>
<p><b>Avatar500</b></p>		<p><b>Power :600W (Real power 600W with Meanwell driver)</b> Color:Full spectrum Input voltage:90-220V Led chip:2835(white)+3030(red) chips (474*6= 2844pcs) LED chip: 2835+3030 SMD (144PCS 660nm+2700pcs white color) Size: 1100*1100mm <b>Having Dimmer+folding</b></p>	<p><b>1.1M</b> 1 item includes 6pcs light  G.W: 18KG</p>

